



Exemplar Grade 6 Science Test Questions

ACT[®] **Aspire**[®]

discoveractaspire.org

Introduction

This booklet explains ACT Aspire® Grade 6 Science test questions by presenting, with their answer keys, sample questions aligned to each reporting category on the test. A key includes the question's depth-of-knowledge (DOK) level,¹ an explanation of the task posed by each question, a thorough explanation of correct responses, ideas for improvement, and more. The exemplar test questions included here are representative of the range of content and types of questions found on the ACT Aspire Grade 6 Science test. Educators can use this resource in several ways:

- Become familiar with ACT Aspire question types.
- See what typical questions in each ACT Aspire reporting category look like.
- Help reinforce or adjust teaching and learning objectives.
- Learn how ACT Aspire improvement idea statements can help students identify key skills they have not yet mastered.

The ACT Aspire Science tests focus on the assessment of science practices using real-world scientific scenarios. At the earlier grades, topics generally focus on everyday student discovery rather than formal science. The scenarios in the upper grade assessments include student investigations, formal scientific research, formal scientific data from references, and students or scientists providing competing explanations for real scientific phenomena.

The content of the tests includes material from biology (life sciences at the earlier grades), chemistry and physics (physical science at the earlier grades), and Earth/space sciences (such as geology, astronomy, and meteorology). Advanced knowledge in these areas is not required, but background knowledge acquired in general, introductory science courses may be needed to answer some of the questions in the upper grade assessments. The tests do not, however, sample specific content knowledge with enough regularity to make inferences about a student's attainment of any broad area, or specific part, of the science content domain. The ACT Aspire tests stress science practices over recall of scientific content, complex mathematics skills, and reading ability. To that end, the ACT Aspire Science tests assess science practices in three domains: Interpretation of Data; Scientific Investigation; and Evaluation of Models, Inferences, and Experimental Results.

¹ Norman L. Webb, "Depth-of-Knowledge Levels for Four Content Areas," last modified March 28, 2002, <http://facstaff.wcer.wisc.edu/normw/All%20content%20areas%20%20DOK%20levels%2032802.doc>.

The ACT Aspire tests currently include selected-response (multiple-choice) questions, technology-enhanced items (online only), and constructed-response tasks. In the technology-enhanced items, students must carry out actions such as moving objects, typing in their answers, and manipulating bar and line graphs to provide their responses. The constructed-response tasks require students to produce, rather than select, a response. Constructed-response tasks assess complex reasoning or thinking skills by providing opportunities for students to explain, justify, critique, create, propose, produce, design, or otherwise demonstrate their knowledge and understanding in ways that are not typically assessed through selected-response items. Constructed-response tasks are scored according to scoring criteria unique to each item. The scoring criteria identify the specific information a student needs to include for a valid and complete response. Depending on the item, a holistic rubric may also be used to score the item. The holistic rubric is used to assess the overall proficiency of the response, allowing for differentiation among multiple skill levels. Some constructed-response tasks, called composite tasks, blend technology-enhanced or selected-response elements with open response.

Improvement Ideas

ACT Aspire includes simple improvement ideas at the reporting category (skill) level on student and parent reports. These improvement ideas are provided for the lowest performing skill for each subject tested. The skills are always ordered from highest performing to lowest performing based on the percentage of points correct. If the percentages for two or more skills are tied, the skill with the lower number of total points is displayed first.

Keep in mind that the order of skills listed on reports may not always be exemplary of where to focus learning. For example, the skills in which a student performed within the ACT Readiness Range may not always be listed first, and the skills in which a student did not perform within the ACT Readiness Range may not always be listed last. Also, keep in mind the total number of points possible in each skill when interpreting the percentage correct.

There are two levels of improvement idea statements (low and high) for ACT Aspire summative reporting. Low statements are given on the report if the student's lowest skill score is below the ACT Readiness Range for that particular skill. High statements are given on the report if the student's lowest skill score is at or above the ACT Readiness Range for that particular skill.

Answer Key

This section presents the grade, item type, DOK level, alignment to the ACT Aspire reporting categories, and correct response for each question. Each question is accompanied by an explanation of the question and the correct response as well as improvement idea statements for ACT Aspire Science.

Students did 2 experiments to estimate the mass of water present in margarines and in hand lotions.

Experiment 1

The students measured out a 25 gram (g) sample of Margarine A in a glass beaker. The sample was heated until it completely melted. Upon cooling, a solid layer formed on top of a liquid water layer. A small hole was made in the solid layer, and the liquid water was poured out. The mass of solid remaining in the beaker was measured. Then, the mass of water in the margarine sample was calculated. The procedure was repeated for Margarines B, C, and D (see Table 1).

Margarine	Mass of solid remaining (g)	Mass of water in margarine sample (g)
A	24	1
B	13	12
C	19	6
D	11	14

Experiment 2

The students measured out a 25 g sample of Lotion E in a glass beaker. The sample was heated to boiling and then allowed to gently boil for 30 minutes. After the mixture cooled to room temperature, the mass of lotion remaining in the beaker was measured. Then, the mass of water in the lotion sample was calculated. The procedure was repeated for Lotions F, G, and H (see Table 2).

Lotion	Mass of lotion remaining (g)	Mass of water in lotion sample (g)
E	19	6
F	21	4
G	20	5
H	18	7

Question 1

The students measured out a 25-gram (g) sample of margarine in a glass beaker. The sample was heated until it completely melted. Upon cooling, a solid layer formed on top of a liquid water layer. A small hole was made in the solid layer, and the liquid water was poured out. The mass of solid remaining in the beaker was measured. Then, the mass of water in the margarine sample was calculated. The procedure was repeated for Margarines B, C, and D (see Table 1).

Margarine	Mass of solid remaining (g)	Mass of water in margarine sample (g)
A	24	1
B	13	12
C	19	6
D	11	14

Based on Table 1, the mass of solid remaining for Margarine A was how much greater than the mass of solid remaining for Margarine D ?

- A. 5 g
- B. 11 g
- C. 13 g
- D. 24 g

Sequence	Grade	Question type	DOK level	Reporting category	Correct response
1	6	Selected Response	2	Interpretation of Data	C

This question requires the examinee to find two pieces of data in a table and to compare those data using a simple calculation.

Correct Response

The mass of solid remaining for Margarine A was 24 g, and the mass of solid remaining for Margarine D was 11 g, so the mass remaining for Margarine A is 13 g greater than the mass remaining for Margarine D.

Improvement Idea Statements

Reporting category	Grade	Low statement (scored below ACT Readiness Range)	High statement (scored at or above ACT Readiness Range)
Interpretation of Data	6	Generate and interpret a greater number and variety of data presentations (scientific tables, line graphs, diagrams). Use trends to extend data in data presentations (interpolation, extrapolation).	Carefully consider the intended audience to determine the most accurate and useful way to present data. Use mathematical concepts (interpolation, extrapolation, slope) to interpret and extend from graphs.

Question 2

The students measured out a 25 g sample of Lotion E in a glass beaker. The sample was heated to boiling and then allowed to gently boil for 30 minutes. After the mixture cooled to room temperature, the mass of lotion remaining in the beaker was measured. Then, the mass of water in the lotion sample was calculated. The procedure was repeated for Lotions F, G, and H (see Table 2).

Lotion	Mass of lotion remaining (g)	Mass of water in lotion sample (g)
E	19	6
F	21	4
G	20	5
H	18	7

What was the *minimum* mass of lotion needed to perform Experiment 2 ?

- A. 50 g
- B. 100 g
- C. 150 g
- D. 200 g

Sequence	Grade	Question type	DOK level	Reporting category	Correct response
2	6	Selected Response	2	Scientific Investigation	B

This question requires the examinee to understand the design of the experiment.

Correct Response

The students needed four 25 g samples of lotion, so the minimum mass of lotion is 100 g.

Improvement Idea Statements

Reporting category	Grade	Low statement (scored below ACT Readiness Range)	High statement (scored at or above ACT Readiness Range)
Scientific Investigation	6	Generate questions that can be investigated and then design and perform controlled experiments to validly test the questions. Examine complex scientific experiments involving multiple variables.	Generate hypotheses and then design and perform controlled experiments involving multiple variables to validly test the hypotheses. Evaluate experiments for possible sources of measurement error.

Question 3

Students did 2 experiments to estimate the mass of water present in margarines and in hand lotions.

Experiment 1

The students measured out a 25 gram (g) sample of Margarine A in a glass beaker. The sample was heated until it completely melted. Upon cooling, a solid layer formed on top of a liquid water layer. A small hole was made in the solid layer, and the liquid water was poured out. The mass of solid remaining in the beaker was measured. Then, the mass of water in the margarine sample was calculated. The procedure was repeated for Margarines B, C, and D (see Table 1).

Margarine	Mass of solid remaining (g)	Mass of water in margarine sample (g)
A	15	10
B	10	15
C	12	13
D	18	7

Suppose that before the experiments, a student had predicted that the mass of water in one of the margarine samples would be less than the mass of water in each lotion sample. The results for which margarine sample were consistent with this prediction?

- A. Margarine A
- B. Margarine B
- C. Margarine C
- D. Margarine D

Sequence	Grade	Question type	DOK level	Reporting category	Correct response
3	6	Selected Response	2	Evaluation of Models, Inferences, and Experimental Results	A

This question requires the examinee to determine which experimental results are consistent with a given prediction.

Correct Response

According to the tables, the only margarine sample that has less water than each lotion sample is Margarine A.

Improvement Idea Statements

Reporting category	Grade	Low statement (scored below ACT Readiness Range)	High statement (scored at or above ACT Readiness Range)
Evaluation of Models, Inferences, and Experimental Results	6	Compare and evaluate the results of scientific experiments and compare and evaluate competing scientific explanations. Examine ways to improve on scientific experiments and explanations.	Evaluate competing scientific explanations by generating predictions based on each explanation. Explain why the results of scientific experiments support or do not support a scientific explanation.